

## REFERENCES

- Aardema, MJ; MacGregor, JT. (2002) Toxicology and genetic toxicology in the new era of “toxicogenomics”: impact of “-omics” technologies. *Mutat Res* 499:13–25.
- Alter, O; Brown, PO; Botstein, D. (2000) Singular value decomposition for genome-wide expression data processing and modeling. *Proc Natl Acad Sci U S A*, 97(18):10101-10106.
- Andersen, ME; Thomas, RS; Gaido, KW; et al. (2005) Dose-response modeling in reproductive toxicology in the systems biology era. *Reprod Toxicol* 19(3):327–337.
- Andersen, ME; Clewell, HJ 3<sup>rd</sup>; Bermudez, E; et al. (2008) Genomic signatures and dose-dependent transitions in nasal epithelial responses to inhaled formaldehyde in the rat. *Toxicol Sci*. 105(2):368-383.
- Anderson, NL; Anderson, NG. (1998) Proteome and proteomics: new technologies, new concepts, and new words. *Electrophoresis* 19(11):1853–1861.
- Ball, CA; Brazma, A; Causton, H; et al. (2004) Submission of microarray data to public repositories. *PLoS Biol* 2(9):E317.
- Barlow, NJ; Foster, PM. (2003) Pathogenesis of male reproductive tract lesions from gestation through adulthood following in utero exposure to di(n-butyl) phthalate. *Toxicol Pathol* 31(4):397–410.
- Barlow, NJ; Phillips, SL; Wallace, DG; et al. (2003) Quantitative changes in gene expression in fetal rat testes following exposure to di(n-butyl) phthalate. *Toxicol Sci* 73(2):431–441.
- Barlow, NJ; McIntyre, BS; Foster, PM. (2004) Male reproductive tract lesions at 6, 12, and 18 months of age following in utero exposure to di(n-butyl) phthalate. *Toxicol Pathol* 32:79–90.
- BASF. (1992) Study on the oral toxicity of dibutyl phthalate in Wistar rats. Administration via the diet over 3 months. Prepared by BASF Corporation, Ludwigshafen, Germany for Eastman Kodak Company; Project No. 31S0449/89020; Submitted under TSCA Section 8D; EPA Document No. 86-920000903; NTIS OTS0535640 (As cited in NTP-CERHR, 2000).
- Bodin, L; Beaune, PH; Loriot, MA. (2005) Determination of cytochrome P450 2D6 (CYP2D6) gene copy number by real-time quantitative PCR. *J Biomed Biotechnol* 2005(3):248–253.
- Boverhof, DR; Zacharewski, TR. (2006) Toxicogenomics in risk assessment: applications and needs. *Toxicol Sci* 89(2):352–360.
- Bowman, CJ; Turner, KJ; Sar, M; et al. (2005) Altered gene expression during rat Wolffian duct development following di(n-butyl) phthalate exposure. *Toxicol Sci* 86:161–174.
- Brazma, A; Hingamp, P; Quackenbush, J; et al. (2001) Minimum information about a microarray experiment (MIAME)—toward standards for microarray data. *Nat Genet* 29(4):365–371.
- Buckley, PG; Mantripragada, KK; Piotrowski, A; et al. (2005) Copy-number polymorphisms: mining the tip of an iceberg. *Trends Genet* 21(6):315–317.
- Canales, RD; Luo, Y; Willey, JC; et al. (2006) Evaluation of DNA microarray results with quantitative gene expression platforms. *Nat Biotechnol* 24(9):1115–1122. doi:10.1038/nbt1236. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt1236.pdf>.
- Cangelosi, R; Goriely, A. (2007) Component retention in principal component analysis with application to cDNA microarray data. *Biol Direct* 2:2.

- Carruthers, CM; Foster, P. (2005) Critical window of male reproductive tract development in rats following gestational exposure to di-n-butyl phthalate. *Birth Defects Res B Dev Reprod Toxicol* 74(3):277–285.
- Casanova, M; Morgan, KT; Gross, EA; et al. (1994) DNA-protein cross-links and cell replication at specific sites in the nose of F344 rats exposed subchronically to formaldehyde. *Fundam Appl Toxicol* 23(4):525–536.
- Casciano, DA; Woodcock, J. (2006) Empowering microarrays in the regulatory setting (forward). *Nat Biotechnol* 24(9):1103.
- Ceder, R; Merne, M; Staab, C; et al. (2007) The application of normal, SV40 T-antigen-immortalized and tumor-derived oral keratinocytes, under serum-free conditions, to the study of the probability of cancer progression as a result of environmental exposure to chemicals. *Altern Lab Anim* 35(6):621–639.
- Chan, VS; Theilade, MD. (2005) The use of toxicogenomic data in risk assessment: a regulatory perspective. *Clin Toxicol* 43(2):121–126.
- Choe, SE; Boutros, M; Michelson, AM; et al. (2005) Preferred analysis methods for Affymetrix GeneChips revealed by a wholly defined control dataset. *Genome Biol* 6(2):R16.
- Clemente, JC; Satou, K; Valiente, G. (2005) Reconstruction of phylogenetic relationships from metabolic pathways based on the enzyme hierarchy and the gene ontology. *Genome Inform* 16(2):45–55.
- Coen, M; Lenz, EM; Nicholson, JK; et al. (2003) An integrated metabonomic investigation of acetaminophen toxicity in the mouse using NMR spectroscopy. *Chem Res Toxicol* 16(3):295–303.
- Cunningham, ML; Bogdanffy, MS; Zacharewski, T; et al. (2003) Workshop overview: use of genomic data in risk assessment. *Toxicol Sci* 73(2):209–215.
- Daston, GP. (2007) Genomics and developmental risk assessment. *Birth Defects Res A Clin Mol Teratol* 79:1–7.
- Daston, GP. (2008) Gene expression, dose-response, and phenotypic anchoring: applications for toxicogenomics in risk assessment. *Toxicol Sci*. 105(2):233-234.
- David, RM. (2006) Proposed mode of action for in utero effects of some phthalate esters on the developing male reproductive tract. *Toxicol Pathol* 34(3):209–19. Available online at <http://tpx.sagepub.com/cgi/reprint/34/3/209.pdf>.
- Dix, DJ; Gallagher, K; Benson, WH; et al. (2006) A framework for the use of genomics data at the EPA. *Nat Biotechnol* 24(9):1108–1111. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt0906-1108.pdf>.
- Donato, MT; Lahoz, A; Castell, JV; et al. (2008) Cell lines: a tool for in vitro drug metabolism studies. *Curr Drug Metab* 9(1):1–11.
- Dudoit, S; Shaffer, JP; Boldrick, JC. (2003) Multiple hypothesis testing in microarray experiments. *Stat Sci* 18(1):71–103.
- Ekins, S; Nikolsky, Y; Nikolskaya, T. (2005) Techniques: application of systems biology to absorption, distribution, metabolism, excretion and toxicity. *Trends Pharmacol Sci* 26(4):202–209.
- Ellinger-Ziegelbauer, H; Stuart, B; Wahle, B; et al. (2005) Comparison of the expression profiles induced by genotoxic and nongenotoxic carcinogens in rat liver. *Mutat Res* 575(1–2):61–84.
- El-Masri, H; Constan, AA; Ramsdell, HS; et al. (1996) Physiologically based pharmacodynamic modeling of an interaction threshold between trichloroethylene and 1,1-dichloroethylene in Fischer 344 rats. *Toxicol Appl Pharmacol* 141:124–132.
- El-Masri, H; Bell, DA; Portier, CJ. (1999) Effects of glutathione transferase theta polymorphism on the risk estimates of dichloromethane to humans. *Toxicol Appl Pharmacol* 158(3):221–230.

- Ema, M; Miyawaki, E. (2001a) Adverse effects on development of the reproductive system in male offspring of rats given monobutyl phthalate, a metabolite of dibutyl phthalate, during late pregnancy. *Reprod Toxicol* 15(2):189–194.
- Ema, M; Miyawaki, E. (2001b) Effects of monobutyl phthalate on reproductive function in pregnant and pseudopregnant rats. *Reprod Toxicol* 15(3):261–267.
- Ema, M; Amano, H; Itami, T; et al. (1993) Teratogenic evaluation of di-n-butyl phthalate in rats. *Toxicol Lett* 69(2):197–203.
- Ema, M; Amano, H; Ogawa, Y. (1994) Characterization of the developmental toxicity of di-n-butyl phthalate in rats. *Toxicology* 86(3):163–174.
- Ema, M; Kurosaka, R; Amano, H; et al. (1995) Developmental toxicity evaluation of mono-n-butyl phthalate in rats. *Toxicol Lett* 78(2):101–106.
- Ema, M; Kurosaka, R; Harazono, A; et al. (1996) Phase specificity of developmental toxicity after oral administration of mono-n-butyl phthalate in rats. *Arch Environ Contam Toxicol* 31(2):170–176.
- Ema, M; Harazono, A; Miyawaki, E; et al. (1997) Developmental effects of di-n-butyl phthalate after a single administration in rats. *J Appl Toxicol* 17(4):223–229.
- Ema, M; Miyawaki, E; Kawashima, K. (1998) Further evaluation of developmental toxicity of di-n-butyl phthalate following administration during later pregnancy in rats. *Toxicol Lett* 98(1–2):87–93.
- Ema, M; Miyawaki, E; Kawashima, K. (2000a) Effects of dibutyl phthalate on reproductive function in pregnant and pseudopregnant rats. *Reprod Toxicol* 14(1):13–19.
- Ema, M; Miyawaki, E; Kawashima, K. (2000b) Critical period for adverse effects on development of reproductive system in male offspring of rats given di-n-butyl phthalate during later pregnancy. *Toxicol Lett* 111(3):271–278.
- Fang, H; Tong, W; Perkins, R; et al. (2005) Bioinformatics approaches for cross-species liver cancer analysis based on microarray gene expression profiling. *BMC Bioinformatics* 6(Suppl 2):S6.
- Fennell, TR; Krol, WL; Sumner, SC; et al. (2004) Pharmacokinetics of dibutylphthalate in pregnant rats. *Toxicol Sci* 82(2):407–418.
- Ferrara, D; Hallmark, N; Scott, H; et al. (2006) Acute and long-term effects of in utero exposure of rats to di(n-butyl) phthalate on testicular germ cell development and proliferation. *Endocrinology* 147(11):5352–5362.
- Fisher, JS; Macpherson, S; Marchetti, N; et al. (2003) Human ‘testicular dysgenesis syndrome’: a possible model using in-utero exposure of the rat to dibutyl phthalate. *Hum Reprod* 18(7):1389–1394.
- Forst, CV. (2002) Network genomics--a novel approach for the analysis of biological systems in the post-genomic era. *Mol Biol Rep* 29(3):265–280.
- Forst, CV; Schulten, K. (1999) Evolution of metabolism: a new method for the comparison of metabolic pathways using genomics information. *J Comput Biol* 6(3–4):343–360.
- Foster, PMD. (2005) Mode of action: impaired fetal Leydig cell function—effects on male reproductive development produced by certain phthalate esters. *Crit Rev Toxicol* 35(8–9):713–719.
- Frueh, FW. (2006) Impact of microarray data quality on genomic data submissions to the FDA. *Nature Biotechnol* 24(9):1105–1107. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt0906-1105.pdf>.
- Frueh, FW; Huang, SM; Lesko, LJ. (2004) Regulatory acceptance of toxicogenomics data. *Environ Health Perspect* 112(12):A663–A664.

Geng, J; Strobel, HW. (1995) Identification of inducible mixed function oxidase system in rat glioma C6 cell line. *J Neurochem* 65(2):554–563.

Gibbs, RA; Weinstock, GM; Metzker, ML; et al. (2004) Genome sequence of the Brown Norway Rat yields insights into mammalian evolution. *Nature* 428(6982):493–521.

Ginsberg, G; Smolenski, S; Hattis, D; et al. (2002) Population distribution of aldehyde dehydrogenase-2 genetic polymorphism: implications for risk assessment. *Regul Toxicol Pharmacol* 36(3):297–309.

Golub, TR; Slonim, DK; Tamayo, P; et al. (1999) Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science* 286(5439):531–537.

Gray, LE, Jr; Wolf, C; Lambright, C; et al. (1999) Administration of potentially antiandrogenic pesticides (procymidone, linuron, chlozolinate, *p,p'*-DDE, and ketoconazole) and toxic substances (dibutyl- and diethylhexyl phthalate, PCB 169, and ethane dimethane sulphonate) during sexual differentiation produces diverse profiles of reproductive malformations in the male rat. *Toxicol Indust Health* 15(1–2):94–118.

Gray, LE, Jr; Ostby, J; Furr, J; et al. (2000) Perinatal exposure to the phthalates DEHP, BBP, and DINP, but not DEP, DMP, or DOTP, alters sexual differentiation of the male rat. *Toxicol Sci* 85(2):350–365.

Gray, LE, Jr.; Ostby, J; Furr, J; et al. (2001) Effects of environmental antiandrogens on reproductive development in experimental animals. *Hum Reprod Update* 7(3):248–264.

Guerreiro, N; Staedtler, F; Grenet, O; et al. (2003) Toxicogenomics in drug development. *Toxicol Pathol* 31(5):471–479.

Guo, L; Lobenhofer, EK; Wang, C; et al. (2006) Rat toxicogenomic study reveals analytical consistency across microarray platforms. *Nat Biotechnol* 24(9):1162–1169. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt1238.pdf>.

Hackett, JL; Lesko, LJ. (2003) Microarray data—the US FDA, industry, and academia. *Nat Biotechnol* 21(7):742–743.

Hamadeh, HK; Bushel, PR; Jayadev, S; et al. (2002a) Gene expression analysis reveals chemical-specific profiles. *Toxicol Sci* 67(2):219–231.

Hamadeh, HK; Bushel, PR; Jayadev, S; et al. (2002b) Prediction of compound signature using high density gene expression profiling. *Toxicol Sci* 67(2):232–240.

Hanisch, D; Zien, A; Zimmer, R; et al. (2002) Co-clustering of biological networks and gene expression data. *Bioinformatics* 18 Suppl 1:S145–S154.

Hedberg, JJ; Grafstrom, RC; Vondracek, M; et al. (2001) Micro-array chip analysis of carbonyl-metabolizing enzymes in normal, immortalized and malignant human oral keratinocytes. *Cell Mol Life Sci* 58(11):1719–1726.

Heymans, M; Singh, AK. (2003) Deriving phylogenetic trees from the similarity analysis of metabolic pathways. *Bioinformatics* 19 (Suppl 1):i138–i146.

Higuchi, TT; Palmer, JS; Gray, LE, Jr; et al. (2003) Effects of dibutyl phthalate in male rabbits following in utero, adolescent, or postpubertal exposure. *Toxicol Sci* 72(2):301–313.

Ji, H; Davis, RW. (2006) Data quality in genomics and microarrays. *Nat Biotechnol* 24(9):1112–1113. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt0906-1112.pdf>.

Kanehisa, M; Goto, S. (2000) KEGG: kyoto encyclopedia of genes and genomes. *Nucleic Acids Res* 28(1):27–30.

Kavlock, R; Ankley, GT; Collette, T; et al. (2005) Computational toxicology: framework, partnerships, and program development: September 29–30, 2003, Research Triangle Park, North Carolina. *Reprod Toxicol* 19(3):265–280.

- Kennedy, S. (2002) The role of proteomics in toxicology: identification of biomarkers of toxicity by protein expression analysis. *Biomarkers* 7(4):269–290.
- Kienhuis, AS; van de Poll, MCG; Wortelboer, H; et al. (2009) Parallelogram approach using rat-human in vitro and rat in vivo toxicogenomics predicts acetaminophen-induced hepatotoxicity in humans. *Toxicol Sci* 107(2):544–552.
- Kim, T; Shin, J; Lee, S; et al. (2004) Effects of in utero exposure of diethylstilbestrol and dibutyl phthalate on the testis descent in rat offspring. Abstract # 574. *Toxicologist* 78:118.
- Kleymenova, E; Dei Rossi, E; Liu, K; et al. (2004) Developmental exposure to di-n-butyl phthalate affects cord organization and Sertoli cell-gonocyte interactions in the fetal rat testis. Abstract # 926. *Toxicologist* 78:190.
- Kleymenova, E; Swanson, C; Gaido, KW. (2005a) Low dose cellular responses in the fetal rat testis in utero exposed to di-n-butyl phthalate. Abstract #1372. *Toxicologist* 79:281.
- Kleymenova, E; Swanson, C; Boekelheide, K; et al. (2005b) Exposure in utero to di(n-butyl) phthalate alters the vimentin cytoskeleton of fetal rat Sertoli cells and disrupts Sertoli cell-gonocyte contact. *Biol Reprod* 73(3):482–490.
- Klonisch, T; Fowler, PA; Hombach-Klonisch, S. (2004) Molecular and genetic regulation of testis descent and external genitalia development. *Dev Biol* 270:1–18.
- Lee, K-Y; Shibusawa, M; Takagi, H; et al. (2004) Diverse developmental toxicity of di-n-butyl phthalate in both sexes of rat offspring after maternal exposure during the period from late gestation through lactation. *Toxicology* 203(1–3):221–238.
- Lehmann, KP; Phillips, S; Sar, M; et al. (2004) Dose-dependent alterations in gene expression and testosterone synthesis in the fetal testes of male rats exposed to di (n-butyl) phthalate. *Toxicol Sci* 81(1):60–68.
- Leighton, JK. (2005) Application of emerging technologies in toxicology and safety assessment: regulatory perspectives. *Int J Toxicol* 24(3):153–155.
- Liu, K; Lehmann, KP; Sar, M; et al. (2005) Gene expression profiling following in utero exposure to phthalate esters reveals new gene targets in the etiology of testicular dysgenesis. *Biol Reprod* 73(1):180–192.
- Lobenhofer, EK; Bushel, PR; Afshari, CA; et al. (2001) Progress in the application of DNA microarrays. *Environ Health Perspect* 109(9):881–891.
- Mahood, IK; Hallmark, N; McKinnell, C; et al. (2005) Abnormal Leydig cell aggregation in the fetal testis of rats exposed to di (n-butyl) phthalate and its possible role in testicular dysgenesis. *Endocrinol* 146(2):613–623.
- Main, KM; Mortensen, GK; Kaleva, MM; et al. (2006) Human breast milk contamination with phthalates and alterations of endogenous reproductive hormones in infants three months of age. *Environ Health Perspect* 114(2):270–276.
- Manoli, T; Gretz, N; Gröne, HJ; et al. (2006) Group testing for pathway analysis improves comparability of different microarray datasets. *Bioinformatics* 22(20):2500–2506.
- McKinnell, C; Sharpe, RM; Mahood, K; et al. (2005) Expression of insulin-like factor 3 protein in the rat testis during fetal and postnatal development and in relation to cryptorchidism induced by in utero exposure to di (n-Butyl) phthalate. *Endocrinology* 146(10):4536–4544.
- Miller, WL. (1988) Molecular biology of steroid hormone synthesis. *Endocr Rev* 9(3):295–318.
- Miller, WL. (2008) Steroidogenic enzymes. *Endocr Dev* 13:1–18.
- Moggs, JG. (2005) Molecular responses to xenoestrogens: mechanistic insights from toxicogenomics. *Toxicology* 213(3):177–193.

- Moggs, JG; Tinwell, H; Spurway, T; et al. (2004) Phenotypic anchoring of gene expression changes during estrogen-induced uterine growth. *Environ Health Perspect* 112(16):1589–1606.
- Mootha, VK; Lindgren, CM; Eriksson, KF; et al. (2003) PGC-1alpha-responsive genes involved in oxidative phosphorylation are coordinately downregulated in human diabetes. *Nat Genet* 34(3):267–73.
- Mylchreest, E; Cattley, RC; Foster, PMD. (1998) Male reproductive tract malformations in rats following gestational and lactational exposure to di(n-butyl) phthalate: an antiandrogenic mechanism? *Toxicol Sci* 43:47–60.
- Mylchreest, E; Sar, M; Cattley, RD; et al. (1999) Disruption of androgen-regulated male reproductive development by di(n-butyl) phthalate during late gestation in rats is different from flutamide. *Toxicol Appl Pharmacol* 156(2):81–95.
- Mylchreest, E; Wallace, DG; Cattley, RC; et al. (2000) Dose-dependent alterations in androgen-regulated male reproductive development in rats exposed to di(n-butyl) phthalate during late gestation. *Toxicol Sci* 55:143–151.
- Mylchreest, E; Sar, M; Wallace, DG; et al. (2002) Fetal testosterone insufficiency and abnormal proliferation of Leydig cells and gonocytes in rats exposed to di(n-butyl) phthalate. *Repro Toxicol* 16:19–28.
- Naciff, JM; Jump, ML; Torontali SM; et al. (2002) Gene expression profile induced by 17alpha-ethynodiol, bisphenol A, and genistein in the developing female reproductive system of the rat. *Toxicol Sci* 68(1):184–199.
- Naciff, JM; Overmann, GJ; Torontali, SM; et al. (2003) Gene expression profile induced by 17 alpha-ethynodiol in the prepubertal female reproductive system of the rat. *Toxicol Sci* 72(2):314–330.
- Naciff, JM; Hess, KA; Overmann, GJ; et al. (2005) Gene expression changes induced in the testis by transplacental exposure to high and low doses of 17 $\alpha$ -ethynodiol, genistein, or bisphenol A. *Toxicol Sci* 86(2):396–416.
- NRC (National Research Council) (2007a) Applications of toxicogenomic technologies to predictive toxicology and risk assessment. Washington, DC: National Academy Press.
- NRC (National Research Council). (2007b) Toxicity testing in the 21<sup>st</sup> century. Washington, DC: National Academy Press.
- NTP (National Toxicology Program). (1991) Final report on the reproductive toxicity of di-n-butyl phthalate (Cas. No. 84-74-3) in Sprague-Dawley rats. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicity Program. Research Triangle Park, NC. NTP Report # RACB89012. NTIS # PB92-111996.
- NTP (National Toxicology Program). (1995) NTP technical report on toxicity studies of dibutyl phthalate administered in feed to F344/N rats and B6C3F1 mice. Toxicity Report Series Number 30. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicity Program. Research Triangle Park, NC. Available online at [http://ntp.niehs.nih.gov/ntp/htdocs/ST\\_rpts/tox030.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/ST_rpts/tox030.pdf).
- NTP-CERHR (National Toxicology Program – Center for the Evaluation of Risks to Human Reproduction). (2000) NTP-CERHR monograph on the potential human reproductive and developmental effects of di-n-butyl phthalate (DBP). National Toxicology Program, U.S. Department of Health and Human Services, Research Triangle Park, NC. Available online at [http://cerhr.niehs.nih.gov/chemicals/phthalates/dbp/DBP\\_Monograph\\_Final.pdf](http://cerhr.niehs.nih.gov/chemicals/phthalates/dbp/DBP_Monograph_Final.pdf).
- Oberemm, A; Onyon, L; Gundert-Remy, U. (2005) How can toxicogenomics inform risk assessment? *Toxicol Appl Pharmacol* 207(2 Suppl):592–598.
- Omura, T; Morohashi, K. (1995) Gene regulation of steroidogenesis. *J Steroid Biochem Mol Biol* 53(1–6):19–25.
- Pandey, A; Mann, M. (2000) Proteomics to study genes and genomes. *Nature* 405(6788):837–846.

Patterson, TA; Lobenhofer, EK; Fulmer-Smentek, FB; et al. (2006) Performance comparison of one-color and two-color platforms within the Microarray Quality Control (MAQC) project. *Nat Biotechnol* 24(9):1140–1150. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt1242.pdf>.

Pennie, WD; Pettit, SD; Lord, PG. (2004) Toxicogenomics in risk assessment – An overview of an ILSI HESI collaborative research program. *Environ Health Perspect* 112(4):417–419.

Pettit, SD; Lord, PG; Pennie, WD. (2003) The application of genomics to mechanism-based risk assessment—overview of an ILSI HESI collaborative research program. *J Toxicol Sci* 28(4):220–221.

Plummer, S; Hallmark, N; Sharpe, R; et al. (2005) Identification of gene clusters and signaling pathways affected by dibutyl phthalate—nuclear receptor interactions in fetal rat testes. Abstract #2258. *Toxicologist* 79:463.

Plummer, S; Sharpe, RM; Hallmark, N; et al. (2007) Time-dependent and compartment-specific effects of in utero exposure to di(n-butyl) phthalate on gene/protein expression in the fetal rat testis as revealed by transcription profiling and laser capture microdissection. *Toxicol Sci* 97(2):520–352.

Rahnenführer, J; Domingues, FS; Maydt, J; et al. (2004) Calculating the statistical significance of changes in pathway activity from gene expression data. *Stat Appl Genet Mol Biol* 3:Article 16.

Raunio, H; Hakkola, J; Hukkanen, J; et al. (1999) Expression of xenobiotic-metabolizing CYPs in human pulmonary tissue. *Exp Toxicol Pathol* 51(4–5):412–417.

Reynolds, VL. (2005) Applications of emerging technologies in toxicology and safety assessment. *Int J Toxicol* 24(3):135–137.

Robinson, DE; Pettit, SD; Morgan, DG. (2003) Use of genomics in mechanism based risk assessment. In: Inoue, T; Pennie, WD; eds., *Toxicogenomics*. Tokyo: Springer-Verlag, pp. 194–203.

Saillenfait, AM; Payan, JP; Fabry, JP; et al. (1998) Assessment of the developmental toxicity, metabolism, and placental transfer of di-n-butyl phthalate administered to pregnant rats. *Toxicol Sci* 45(2):212–224.

Sayers, EW; Barrett, T; Benson, DA; et al. (2008) Database resources of the National Center for Biotechnology Information. *Nucleic Acids Res.* 37(9):3124.

Schlosser, PM; Lilly, PD; Conolly, RB; et al. (2003) Benchmark dose risk assessment for formaldehyde using airflow modeling and a single-compartment, DNA-protein cross-link dosimetry model to estimate human equivalent doses. *Risk Anal* 23(3):473–487.

Searls, DB. (2003) Pharmacophylogenomics: genes, evolution and drug targets. *Nat Rev Drug Discov.* 2(8):613–623.

Shastry, BS. (2006) Pharmacogenetics and the concept of individualized medicine. *Pharmacogenomics J* 6:16–21.

Shi, L; Tong, W; Goodsaid, F; et al. (2004) QA/QC: challenges and pitfalls facing the microarray community and regulatory agency. *Expert Rev Mol Diagn* 4(6):761–777.

Shi, L; Reid, LH; Jones, WD; et al. (2006) The MicroArray Quality Control (MAQC) project shows inter- and intraplatform reproducibility of gene expression measurements. *Nat Biotechnol* 24(9):1151–1161.

Shippy, R; Fulmer-Smentek, S; Jensen, RV; et al. (2006) Using RNA sample titrations to assess microarray platform performance and normalization techniques. *Nat Biotechnol* 24(9):1123–1131. Available online at <http://www.nature.com/nbt/journal/v24/n9/abs/nbt1241.html>.

Shultz, VD; Phillips, S; Sar, M; et al. (2001) Altered gene profiles in fetal rat testes after in utero exposure to di(n-butyl) phthalate. *Toxicol Sci* 64(2):233–242.

- Sladek, R; Bader, JA; Giguere, V. (1997) The orphan nuclear receptor estrogen-related receptor alpha is a transcriptional regulator of the human medium-chain acyl coenzyme A dehydrogenase gene. *Mol Cell Biol* 17(9):5400–5409.
- Simmons, PT; Portier, CJ. (2002) Toxicogenomics: the new frontier in risk analysis. *Carcinogenesis* 23(6):903–905.
- Sohler, F; Hanisch, D; Zimmer, R. (2004) New methods for joint analysis of biological networks and expression data. *Bioinformatics* 20(10):1517–1521.
- Smith, LL. (2001) Key challenges for toxicologists in the 21st century. *Trends Pharmacol Sci* 22(6):281–285.
- Srivastava, SP; Srivastava, S; Saxena, DK; et al. (1990) Testicular effects of di-n-butyl phthalate (DBP): biochemical and histopathological alterations. *Arch Toxicol* 64:148–152.
- Staab, CA; Ceder, R; Roberg, K; et al. (2008) Serum-responsive expression of carbonyl-metabolizing enzymes in normal and transformed human buccal keratinocytes. *Cell Mol Life Sci* 65(22):3653–3663.
- Stocco, DM; Wang, X; Jo, Y; et al. (2005) Multiple signaling pathways regulating steroidogenesis and steroidogenic acute regulatory protein expression: More complicated than we thought. *Mol Endocrinol* 19(11): 2647-2659.
- Swan, SH; Main, KM; Liu, F; et al. (2005) Decrease in anogenital distance among male infants with prenatal phthalate exposure. *Environ Health Perspect* 113(8):1056–1061. Erratum in: *Environ Health Perspect* 113(9):A583.
- Swanson, HI. (2004) Cytochrome P450 expression in human keratinocytes: an aryl hydrocarbon receptor perspective. *Chem Biol Interact* 149(2–3):69–79.
- Thomas, RS; Allen, BC; Nong, A; et al. (2007) A method to integrate benchmark dose estimates with genomic data to assess the functional effects of chemical exposure. *Toxicol Sci* 98(1):240–248.
- Thompson, CJ; Ross, SM; Gaido, KW. (2004) Di(n-butyl) phthalate impairs cholesterol transport and steroidogenesis in the fetal rat testis through a rapid and reversible mechanism. *Endocrinology* 145(3):1227–1237.
- Thompson, CJ; Ross, SM; Hensley, J; et al. (2005) Differential steroidogenic gene expression in the fetal adrenal versus the testis and rapid and dynamic response of the fetal testis to di(n-butyl) phthalate. *Biol Reprod* 73(5):908–917.
- Thybaud, V; Le Fevre, A; Boitier, E. (2007) Application of toxicogenomics to genetic toxicology risk assessment. *Environ Mol Mutagen* 48:369–379.
- Tilton, SC; Orner, GA; Benninghoff, AD; et al. (2008) Genomic profiling reveals an alternate mechanism for hepatic tumor promotion by perfluorooctanoic acid in rainbow trout. *Environ Health Perspect* 116(8):1047–1055. Available online at <http://www.ehponline.org/docs/2008/11190/abstract.html>.
- Tomfohr, J; Lu, J; Kepler, TB. (2005) Pathway level analysis of gene expression using singular value decomposition. *BMC Bioinformatics* 6:225.
- Tong, W; Lucas, AB; Shippy, R; et al. (2006) Evaluation of external RNA controls for the assessment of microarray performance. *Nat Biotechnol* 24(9):1132–1139. Available online at <http://www.nature.com/nbt/journal/v24/n9/pdf/nbt1237.pdf>.
- U.S. EPA (Environmental Protection Agency). (1995) Reregistration eligibility decision (RED): Linuron. Office of Prevention, Pesticides and Toxic Substances, Washington, DC. EPA 738-R-95-003. Available from the National Technical Information Service, Springfield, VA, and online at <http://www.epa.gov/opprrd1/REDs/0047.pdf>.
- U.S. EPA (Environmental Protection Agency). (1998) Reregistration eligibility decision (RED): Iprodione. Office of Prevention, Pesticides and Toxic Substances, Washington, DC. EPA 738-R-98-017. Available from the National

Technical Information Service, Springfield, VA, and online at  
<http://www.epa.gov/oppssrrd1/REDs/factsheets/2335fact.pdf>.

U.S. EPA (Environmental Protection Agency). (2000a) Reregistration Eligibility Decision (RED): Vinclozolin. Office of Prevention, Pesticides and Toxic Substances, Washington, DC. EPA 738-R-00-023. Available from the National Technical Information Service, Springfield, VA, and online at  
<http://www.epa.gov/opp00001/reregistration/REDs/2740red.pdf>.

U.S. EPA (Environmental Protection Agency). (2002a) Interim genomics policy. Prepared by the Science Policy Council, Washington, DC. Available from the National Technical Information Service, Springfield, VA, and online at <http://www.epa.gov/osa/spc/genomics.htm>.

U.S. EPA (Environmental Protection Agency). (2002b) Tolerance reassessment progress and risk management decision (TRED) for linuron. Office of Prevention, Pesticides and Toxic Substances, Washington, DC. Available online at [http://www.epa.gov/oppssrrd1/REDs/linuron\\_tred.pdf](http://www.epa.gov/oppssrrd1/REDs/linuron_tred.pdf).

U.S. EPA (Environmental Protection Agency). (2004a) A framework for a computational toxicology research program. Office of Research and Development, National Center for Computational Toxicology, Washington, DC. Available online at [http://www.epa.gov/comptox/comptox\\_framework.html](http://www.epa.gov/comptox/comptox_framework.html).

U.S. EPA (Environmental Protection Agency). (2004b) Potential implications of genomics for regulatory and risk assessment applications at EPA. Genomics Task Force Workgroup, Science Policy Council, Washington, DC; EPA 100/B-04/002. Available online at <http://www.epa.gov/OSA/pdfs/EPA-Genomics-White-Paper.pdf>.

U.S. EPA (Environmental Protection Agency). (2004c) Final Report for Acetochlor. Part 2: Mode of Action Assessment Document: Evaluation of the Mode of Action of Acetochlor for Nasal Olfactory Epithelium Tumors in Rats and its Relevance to Human Cancer Risk Assessment. August 31, 2004. TXR No. 0052727. Cancer Assessment Review Committee, Health Effects Division, Office of Pesticide Programs, Washington, DC. Available online at <http://www.epa.gov/opp00001/foia/reviews/121601/121601-2004-08-31a.pdf>.

U.S. EPA (Environmental Protection Agency). (2005a) Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens. Risk Assessment Forum, Washington, DC; EPA/630/R-03/003F. Available from the National Technical Information Service, Springfield, VA, and online at  
<http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=160003>.

U.S. EPA (Environmental Protection Agency). (2005b) Tolerance reassessment progress and risk management Decision (TRED) for procymidone. Office of Prevention, Pesticides and Toxic Substances, Washington, DC. Available online at [http://www.epa.gov/oppssrrd1/REDs/procymidone\\_tred.pdf](http://www.epa.gov/oppssrrd1/REDs/procymidone_tred.pdf).

U.S. EPA (Environmental Protection Agency). (2006a) Toxicological review of dibutyl phthalate (di-n-butyl phthalate). [External review draft]. Integrated Risk Information System, Washington, DC; NCEA-S-1755. Available online at <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=155707>.

U.S. EPA (Environmental Protection Agency). (2006b) Interim guidance for microarray-based assays: data submission, quality, analysis, management and training considerations. [External review draft]. Genomics Task Force Workgroup, Science Policy Council, Washington, DC. Available online at  
<http://www.epa.gov/osa/spc/genomicsguidance.htm>.

U.S. EPA (Environmental Protection Agency). (2006c) Summary of the NCEA colloquium on current use and future needs of genomics in ecological and human health risk assessment (final report). National Center for Environmental Assessment, Washington, DC; EPA/600/R-04/039. Available from the National Technical Information Service, Springfield, VA, and online at <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=149984>.

U.S. EPA (Environmental Protection Agency). (2006d) Revised reregistration eligibility decision document (RED) for MSMA; DSMA, and CAMA and cacodylic acid. Office of Prevention, Pesticides and Toxic Substances, Washington, DC; EPA/738/R-06/021. Available online at from the National Technical Information Service, Springfield, VA, and online at [http://www.epa.gov/oppssrrd1/REDs/organic\\_arsenicals\\_red.pdf](http://www.epa.gov/oppssrrd1/REDs/organic_arsenicals_red.pdf).

U.S. EPA (Environmental Protection Agency). (2006e) Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment. National Center for Environmental Assessment, Washington, DC; EPA/600/R-05/043F. Available from the National Technical Information Service, Springfield, VA, and online at <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>.

U.S. FDA (Food and Drug Administration). (2003) Guidance for industry. Pharmacogenomic data submissions. Draft guidance. Washington, DC. Available online at [www.fda.gov/cder/guidance/5900dft.pdf](http://www.fda.gov/cder/guidance/5900dft.pdf) [accessed 26 July 2004].

Vondracek, M; Xi, Z; Larsson, P; et al. (2001) Cytochrome P450 expression and related metabolism in human buccal mucosa. *Carcinogenesis* 22(3):481–488.

Vondracek, M; Weaver, DA; Sarang, Z; et al. (2002) Transcript profiling of enzymes involved in detoxification of xenobiotics and reactive oxygen in human normal and simian virus 40 T antigen-immortalized oral keratinocytes. *Int J Cancer* 99(6):776–782.

Waters, MD; Fostel, JM. (2004) Toxicogenomics and systems toxicology: aims and prospects. *Nat Rev Genet* 5(12):936–948. Available online at [http://www.cmbi.ru.nl/edu/bioinf4/articles/pdf/tox\\_ReviewToxicogenomicsNaturedec2004.pdf](http://www.cmbi.ru.nl/edu/bioinf4/articles/pdf/tox_ReviewToxicogenomicsNaturedec2004.pdf).

Weng, L; Dai, H; Zhan, Y; et al. (2006) Rosetta error model for gene expression analysis. *Bioinformatics* 22(9):1111–1121.

Wilson, VS; Lambright, C; Furr, J; et al. (2004) Phthalate ester-induced gubernacular lesions are associated with reduced insl3 gene expression in the fetal rat testis. *Toxicol Lett* 146(3):207–215.

Wine, RN; Li, L-H; Barnes, LH; et al. (1997) Reproductive toxicity of di-n-butylphthalate in a continuous breeding protocol in Sprague-Dawley rats. *Environ Health Perspect* 105:102–107.

Wu, W; Hu, W; Kavanagh, JJ. (2002) Proteomics in cancer research. *Int J Gynecol Cancer* 12(5):409–423.

Wyde, ME; Kirwan, SE; Zhang, F; et al. (2005) Di-n-butyl phthalate activates constitutive androstanone receptor and pregnane X receptor and enhances the expression of steroid-metabolizing enzymes in the liver of rat fetuses. *Toxicol Sci* 86(2):281–290.

Yu, X; Griffith, WC; Hanspers, K; et al. (2006) A system-based approach to interpret dose- and time-dependent microarray data: quantitative integration of gene ontology analysis for risk assessment. *Toxicol Sci* 92(2):560–577.

Zhang, Y; Jiang, X; Chen, B. (2004) Reproductive and developmental toxicity in F1 Sprague-Dawley male rats exposed to di-n-butyl phthalate in utero and during lactation and determination of its NOAEL. *Reprod Toxicol* 18(5):669–676.

Zhou, T; Chou, J; Watkins, PB; et al. (2009) Toxicogenomics: transcription profiling for toxicology assessment. *Mol Cli Envi Tox* 1:325–366

Zien, A; Kuffner, R; Zimmer, R; et al. (2000) Analysis of gene expression data with pathway scores. *Proc Int Conf Intell Syst Mol Biol* 8:407–417.

#### **URLS AND WEBSITES:**

<http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=149984>

<http://www.niehs.nih.gov/research/supported/centers/trc/>

<http://cerhr.niehs.nih.gov/news/phthalates/report.html>

<http://david.abcc.ncifcrf.gov/list.jsp>  
[http://intranet.epa.gov/ncea/pdfs/qmp/ncea\\_qmp.pdf](http://intranet.epa.gov/ncea/pdfs/qmp/ncea_qmp.pdf)  
<http://searchlauncher.bcm.tmc.edu/help/BLASToutput.html#anchor14684156>  
<http://www.ehponline.org/twg/docs/admin/twg-n-press.html?section=toxicogenomics>  
<http://www.genome.jp/kegg>  
<http://www.hesiglobal.org/Committees/ TechnicalCommittees/Genomics/EBI+Toxicogenomics.htm>  
<http://www.ncbi.nlm.nih.gov/sites/entrez?db=gene>  
[www.epa.gov/iris/whatsnewarchive.htm](http://www.epa.gov/iris/whatsnewarchive.htm)  
<http://www.epa.gov/ncea/iris/subst/0170.htm>  
<http://www.epa.gov/ncea/iris/subst/0378.htm>  
<http://www.epa.gov/ncea/iris/subst/0126.htm>  
[www.genego.com](http://www.genego.com)  
[www.omics.org](http://www.omics.org)  
<http://www.fda.gov/ScienceReserch/BioinformaticsTools/MicroarrayQualityControlProject/default.htm>

# SCIENCE



United States  
Environmental Protection  
Agency

PRESORTED STANDARD  
POSTAGE & FEES PAID  
EPA  
PERMIT NO. G-35

National Center for Environmental Assessment  
Office of Research and Development  
Washington, DC 20460

Official Business  
Penalty for Private Use  
\$300



Printed with vegetable-based ink on paper that  
contains a minimum of post-consumer fiber  
content and processed chlorine free.